SYMPTOM SURVEY FORM



Patient .			Doctor		Date				
Birth Date	e / / Appro	ox We	ight	Veget	tarian: Yes 🔲 No 🔲				
Birth Date/ Approx Weight Vegetarian: Yes No INSTRUCTIONS: Number only the boxes which apply to you. Leave blank if you don't have the problem. * Write 1 in the box for MILD symptoms (occurred once or twice last 6 months). * Write 2 in the box for MODERATE symptoms (occurred once or twice last month). * Write 3 in the box for SEVERE symptoms (chronic, occurred once or twice last week). Please do not use checkmarks in the boxes - fill in the boxes with a number or leave blank!									
GROUP ONE-									
2	Acid foods upset Get chilled often "Lump" in throat Dry mouth-eyes-nose Pulse speeds after meal Keyed up - fail to calm Cut heals slowly	8	Gag easily Unable to relax; startles easily Extremities cold, clammy Strong light irritates Urine amount reduced Heart pounds after retiring "Nervous" stomach	15	Appetite reduced Cold sweats often Fever easily raised Neuralgia-like pains Staring, blinks little Sour stomach often				
			GROUP TWO						
22	Joint stiffness on arising Muscle-leg-toe cramps at night "Butterfly" stomach, cramps Eyes or nose watery Eyes blink often Eyelids swollen, puffy Indigestion soon after meals Always seems hungry; feels "lightheaded" often	29	Digestion rapid Vomiting frequent Hoarseness frequent Breathing irregular Pulse slow; feels "irregular" Gagging reflex slow Difficulty swallowing Constipation, diarrhea alternating	37	"Slow starter" Get "chilled" infrequently Perspire easily Circulation poor, sensitive to cold Subject to colds, asthma, bronchitis				
			GROUP THREE						
43	Eat when nervous Excessive appetite Hungry between meals Irritable before meals Get "shaky" if hungry Fatigue, eating relieves "Lightheaded" if meals delayed	49	Heart palpitates if meals missed or delayed Afternoon headaches Overeating sweets upsets Awaken after few hours sleep - hard to get back to sleep	53	Crave candy or coffee in afternoons Moods of depression - "blues" or melancholy Abnormal craving for sweets or snacks				
GROUP FOUR—									
57	Hands and feet go to sleep easily, numbness Sigh frequently, "air hunger" Aware of "breathing heavily" High altitude discomfort Opens windows in closed rooms Susceptible to colds and fevers Afternoon "yawner"	63	Get "drowsy" often Swollen ankles, worse at night Muscle cramps, worse during exercise; get "charley horses" Shortness of breath on exertion Dull pain in chest or radiating into left arm, worse on exertion	68	Bruise easily, "black and blue" spots Tendency to anemia "Nose bleeds" frequent Noises in head, or "ringing in ears" Tension under the breastbone, or feeling of "tightness", worse on exertion				

	GROUP FIVE	
73 Dizziness 74 Dry skin	83 Feeling queasy; headache over eyes	91 Sneezing attacks 92 Dreaming, nightmare type bad
75 Burning feet	84 Greasy foods upset	dreams
76 Blurred vision	85 Stools light colored	93 Bad breath (halitosis)
77 Itching skin and feet	86 Skin peels on foot soles	94 Milk products cause distress
78 Excessive falling hair	87 Pain between shoulder blades	95 Sensitive to hot weather
79 Frequent skin rashes	88 Use laxatives	96 Burning or itching anus
80 Bitter, metallic taste in mouth in	89 Stools alternate from soft to	97 Crave sweets
mornings	watery	
81 Bowel movements painful or difficult	90 History of gallbladder attacks or gallstones	
82 Worrier, feels insecure		
	GROUP SIX	
00 🗔	404 D Ocatad tanana	404 Marana salitis an limitable
98 Loss of taste for meat	101 Coated tongue	104 Mucous colitis or "irritable bowel"
99 Lower bowel gas several hours after eating	102 Pass large amounts of foul-smelling gas	<u> </u>
	<u> </u>	105 Gas shortly after eating 106 Stomach "bloating" after eating
100 Burning stomach sensations, eating relieves	103 Indigestion 1/2 - 1 hour after eating; may be up to 3-4 hrs.	106 Stomach "bloating" after eating
caming removes		
	GROUP SEVEN	
(A)		(E)
107 Insomnia		150 Dizziness
108 Nervousness		151 Headaches
109 Can't gain weight	(C)	152 Hot flashes
110 Intolerance to heat	137 Failing memory	153 Increased blood
111 Highly emotional	138 Low blood pressure	pressure
112 Flush easily	139 Increased sex drive	154 Hair growth on face or body
113 Night sweats	140 Headaches, "splitting or	(female)
114 Thin, moist skin	rending" type	155 Sugar in urine
115 Inward trembling	141 Decreased sugar tolerance	(not diabetes)
116 Heart palpitates		156 Masculine tendencies
117 Increased appetite without		(female)
weight gain	(D)	
118 Pulse fast at rest	(D)	(F)
119 Eyelids and face twitch	142 Abnormal thirst	_ ` '
120 I Irritable and restless 121 Can't work under pressure	143 Bloating of abdomen	157 Weakness, dizziness
121 Can't work under pressure	144 Weight gain around hips or	158 Chronic fatigue
(B)	waist	159 Low blood pressure
	145 Sex drive reduced or lacking	160 Nails weak, ridged
122 Increase in weight	146 Tendency to ulcers, colitis	161 Tendency to hives
123 Decrease in appetite	147 Increased sugar tolerance	162 Arthritic tendencies
124 Fatigue easily	148 Women: menstrual disorders	163 Perspiration increase
125 Ringing in ears	149 Young girls: lack of menstrual function	164 Bowel disorders
126 Sleepy during day 127 Sensitive to cold	Idilotio	165 Poor circulation
		166 Swollen ankles
128 Dry or scaly skin 129 Constipation		167 ☐ Crave salt 168 ☐ Brown spots or bronzing of
129 Constipation 130 Mental sluggishness		168 Brown spots or bronzing of skin
131 Hair coarse, falls out		169 Allergies - tendency to
132 Headaches upon arising, wear		asthma
off during day		170 Weakness after colds, influenza
133 Slow pulse, below 65		
134 Frequency of urination		171 L Exhaustion - muscular and nervous
135 Impaired hearing 136 Reduced initiative		172 Respiratory disorders
		IIZ INCOPILATOLY UISOLUEIS

GROUP EIGHT								
173 Apprehension 183 Noise sensiti 174 Irritability 184 Acoustic hall 175 Morbid fears 185 Tendency to	ivity 193 Insomnia Iucinations 194 Anxiety 2 cry without reason 3 e and/or thinning 196 Inability to concentrate; 2 confusion 197 Frequent stuffy nose; sinus 3 infections 4 allergy to some foods							
menstruation 209 Menopausal 204 Menstruation excessive and prolonged 211 Acne, worse	harge py/ovaries py/o							
BARNES THYROID TEST This test was developed by Dr. Broda Barnes, M.D. and is a measurement of the underarm temperature to determine hypo and hyperthyroid states. The test is conducted by the patient in the a.m. before leaving bed - with the temperature being taken for 10 minutes. The test is invalidated if the patient expends any energy prior to taking the test - getting up for any reason, shaking down the thermometer, etc. It is important that the test be conducted for exactly 10	You can do the following test at home to see if you may have a functional low thyroid. Use an oral thermometer or a digital one. When you use a digital one, place the probe under your arm for 5 minutes then turn your machine on; continue on for an additional 5 minutes. When using a regular one, shake down the night before.							
minutes, making the prior positioning of both the thermometer and a clock important.	Date Temperature Date Temperature							
	Date Temperature							
PRE-MENSES FEMALES AND MENODALISAL FEMALES	'							
PRE-MENSES FEMALES AND MENOPAUSAL FEMALES Any two days during the month	Date Temperature							
Any two days during the month	Date Temperature Date Temperature Date Temperature							
Any two days during the month FEMALES HAVING MENSTRUAL CYCLES	Date Temperature							
Any two days during the month	Date Temperature Date Temperature Date Temperature							

Please list any medications you are taking:	☐ No Medications							
Please list any vitamins, herbs, or supplements you are	☐ No Vitamins							
Please list any allergies you have:				☐ No Allergies				
Please list any surgeries you have had in the past 12 m								
Please list any other surgeries or medical procedures y	☐ No Other Surgeries							
TO BE COMPLETED BY DOCTOR								
Blood Pressure: Recumbent	_ Standing _							
Pulse: Recumbent	_ Standing _							
Hema-Combistix Urine Readings: pH	_ Albumin %		Glucose %					
Occult Blood pH of Saliva pH of Stool Specimen								
Blood Clotting Time Hemoglobin -		Blood Type	V	Veight				

Use the letters listed below to indicate the type and location of your pain and sensations:

KEY

A = ACHE


B = BURNING

S = STABBING

N = NUMBNESS

P = PINS & NEEDLES

O = OTHER



PLEASE INDICATE THE LEVEL OF PAIN YOU ARE EXPERIENCING

NO PAIN SEVERE PAIN
0 1 2 3 4 5 6 7 8 9 10

Patient Signature _____ Date _____